

Summary of deaths

Section 3, Pages 61 - 90

These two reports by the Division of Vital Statistics, Kansas Board of Health, compile statistics on Kansas deaths by cause and by county for 1918. The first volume reports death by cause; the second by county. During World War I, an influenza epidemic swept around the world killing millions. Evidence suggests the disease started in Kansas with most deaths occurring in 1918. The county numbers are listed in the volume on counties. The disease numbers are listed in the volume on causes. The social condition section likely refers to marital status (single, married, widowed, divorced, and unknown). The nativity section likely refers to native born or foreign born. In this full volume, there is a page for each county, and additional pages for larger cities – possibly the first class ones. Each page bears a number that corresponds to the number on the page of statistics at UID 217181.

Numbers 1 thru 105 are assigned to the 105 counties in alphabetical order.

Numbers 200-400 are assigned to the cities within those counties

Examples:

1 = Allen County

201 = Iola, Allen County

105 = Wyandotte County

205 = Kansas City, Wyandotte Co.

305 = Rosedale, Wyandotte Co.

(You'll notice that the companion number for County 5 is 405 as to not duplicate 205 and 305.)

In the full volume, you can go from county to county quickly by using the Page Selection drop down menu (on the upper left-hand side of the image).

Creator: Kansas. Board of Health

Date: 1918

Callnumber: Kansas State Board of Health, Division of Vital Statistics, Summary of Deaths

KSHS Identifier: DaRT ID: 220786

Item Identifier: 220786

www.kansasmemory.org/item/220786

Kansas Memory



KANSAS
HISTORICAL
SOCIETY

Summary of deaths

Year 1918

DEATH BY CAUSES.

Other Forms of Mental Alienation
(Cause of Death.)

No. 68

Total 62

Rate

Sex		Social Condition		COUNTIES					
M	<u>36</u>	S	<u>22</u>	1	318	40	63	<u>1</u>	85
F	<u>26</u>	M	<u>24</u>	201	<u>1</u> 19	<u>1</u> 240	263		285
Color.		W	<u>8</u>	2	219	41	363		86
W	<u>59</u>	D		3	<u>1</u> 20	42	64		87
B	<u>3</u>	Un	<u>8</u>	203	21	43	65		287 <u>1</u>
		Ages.		4	22	44	66		88
Nativity.		M.	F.	5	23	45 <u>1</u>	67		89 <u>21</u>
N	<u>56</u>	-1	-	405	223	46	267		289 <u>4</u>
F	<u>4</u>	1-2	<u>1</u>	6	24	47	68		90
Un	<u>2</u>	3-4	-	206	<u>1</u> 25	48	69		91
Months.		5-9	-	7	26	49	70		92
Jan.	<u>15</u>	10-14	<u>1</u>	8	27	50 <u>1</u>	71		93
Feb.	<u>5</u>	15-19	-	208	28	250	72		94
Mar.	<u>-</u>	20-24	-	308	29	51 <u>1</u>	73	<u>1</u>	95
Apr.	<u>4</u>	25-29	<u>2</u> <u>2</u>	9	229	52	74		96
May	<u>6</u>	30-34	<u>5</u> <u>3</u>	10	30	252	75	<u>1</u>	296
June	<u>4</u>	35-39	<u>2</u> <u>2</u>	11	230	53	76		97
July	<u>4</u>	40-44	<u>2</u> <u>5</u>	211	31	54	77		98
Aug.	<u>4</u>	45-49	<u>3</u> <u>1</u>	12	231	55	78	<u>1</u>	99
Sept.	<u>7</u>	50-59	<u>3</u> <u>1</u>	13	32	56	278		100
Oct.	<u>3</u>	60-69	<u>10</u> <u>6</u>	14	33	256 <u>1</u>	79		101
Nov.	<u>5</u>	70-79	<u>3</u> <u>4</u>	15	34	57	80		102
Dec.	<u>5</u>	80-89	<u>3</u> -	215	35	58	81		103
		90-99	-	16	36	59 <u>1</u>	281		104
		100	-	17	37	60	82		105
		Unk.	<u>1</u> -	18	<u>1</u> 38	61 <u>17</u>	83		205 <u>5</u>
				218	39	62	84		305

7-5351

Summary of deaths

Year 1918 **DEATH BY CAUSES.** No. 69

Epilepsy
(Cause of Death.)

Total 72 Rate _____

Sex	Social Condition	COUNTIES						
M. <u>47</u>	S. <u>46</u>	1	318	1	40	63	85	
F. <u>25</u>	M. <u>13</u>	201	1	19	2	240	263	285
Color.	W. <u>11</u>	2	219		41	363		86
W. <u>69</u>	D. <u>2</u>	3	20		42	64		87
B. <u>3</u>	Un.	203	21		43	65	1	287
	Ages.	4	22		44	66		88
Nativity.	M. F.	5	1	23		45	67	89
N. <u>68</u>	-1 - 1	405	1	223	1	46	267	289
F. <u>4</u>	1-2 1 1	6	24		47	68		90
Un.	3-4 - 1	206	25		48	69		91
Months.	5-9 2 2	7	26		49	70		92
Jan. <u>7</u>	10-14 6 2	8	1	27	50	24	71	93
Feb. <u>3</u>	15-19 4 2	208	28		250	1	72	94
Mar. <u>5</u>	20-24 1 2	308	1	29	51		73	95
Apr. <u>7</u>	25-29 8 -	9	229		52	4	74	96
May <u>4</u>	30-34 4 1	10	30	1	252	1	75	1
June <u>7</u>	35-39 5 2	11	230		53	1	76	97
July <u>3</u>	40-44 5 1	211	31		54		77	98
Aug. <u>8</u>	45-49 3 3	12	231	1	55		78	1
Sept. <u>4</u>	50-59 3 2	13	1	32	56		278	2
Oct. <u>8</u>	60-69 - 3	14		33	2	256	79	2
Nov. <u>6</u>	70-79 4 1	15		34		57	80	1
Dec. <u>10</u>	80-89 1 1	215	35		58	2	81	103
	90-99 - -	16	1	36		59	281	104
	100 - -	17		37		60	82	105
	Unk. - -	18	5	38		61	3	83
		218	39		62	1	84	305

7-5351



Summary of deaths

Year 1918

DEATH BY CAUSES.

Convulsions (Nonpuerperal)
(Cause of Death.)

No. 70

Total 6

Rate

Sex		Social Condition		COUNTIES					
M	4	S	5	1	318	40	63	85	
F	2	M	1	201	19	240	263	285	
Color.		W		2	219	41	363	86	
W	6	D		3	20	42	64	87	
B		Un		203	21	43	65	287	
		Ages.		4	22	44	66	88	
Nativity.			M. F.	5	23	45	67	89	
N	6	-1	- -	405	223	46	267	289	
F		1-2	- -	6	24	47	68	90	
Un		3-4	- -	206	25	48	69	91	
Months.		5-9	3 -	7	26	49	70	92	
Jan.		10-14	- -	8	27	50	71	93	
Feb.	1	15-19	- 1	208	28	250	72	94	
Mar.	1	20-24	- -	308	29	51	73	95	
Apr.	1	25-29	- -	9	229	52	74	96	
May	-	30-34	- -	10	30	252	75	296	
June	-	35-39	1 -	11	230	53	76	97	
July	-	40-44	- -	211	31	54	77	98	
Aug.	-	45-49	- -	12	231	55	78	99	
Sept.	-	50-59	- -	13	32	56	278	100	
Oct.	2	60-69	- -	14	33	256	79	101	
Nov.	1	70-79	- 1	15	34	57	80	102	
Dec.	-	80-89	- -	215	35	58	81	103	
		90-99	- -	16	36	59	281	104	
		100	- -	17	37	60	82	105	
		Unk.	- -	18	38	61	83	205	
				218	39	62	84	305	



Summary of deaths

Year 1918 **DEATH BY CAUSES.** No. 71

Convulsions of Infants
(Cause of Death)

Total 57 Rate _____

Sex	Social Condition	COUNTIES						
M. <u>22</u>	S. <u>57</u>	1	318	40	63	85	1	
F. <u>35</u>	M.	201	<u>2</u>	19	1	240	1	263 <u>2</u> 285 <u>1</u>
Color.	W.	2	219	41	363	86		
W. <u>53</u>	D.	3	20	42	64	1	87	
B. <u>4</u>	Un.	203	1	21	1	43	65	287 <u>3</u>
	Ages.	4	22	44	66	88		
Nativity.	M.	5	23	45	67	1	89	<u>2</u>
N. <u>57</u>	-1	20	29	405	223	46	267	1 289 <u>4</u>
F.	1-2	1	5	6	1	24	47	68
Un.	3-4	1	1	206	25	48	2	69
Months.	5-9	7	1	26	1	49	70	1 92
Jan. <u>4</u>	10-14	8	3	27	50	71	93	
Feb. <u>4</u>	15-19	208	28	250	3	72	1	94 <u>1</u>
Mar. <u>8</u>	20-24	308	29	51	73	95		
Apr. <u>5</u>	25-29	9	229	52	74	96		
May <u>1</u>	30-34	10	30	252	75	296		
June <u>8</u>	35-39	11	2	230	53	76	97	
July <u>2</u>	40-44	211	31	54	1	77	98	
Aug. <u>5</u>	45-49	12	231	55	78	99	1	
Sept. <u>4</u>	50-59	13	32	56	1	278	100	
Oct. <u>9</u>	60-69	14	33	1	256	1	79	1 101 <u>1</u>
Nov. <u>4</u>	70-79	15	1	34	57	1	80	102
Dec. <u>3</u>	80-89	215	35	58	1	81	103	
	90-99	16	36	59	1	281	1	104
	100	17	37	60	82	105		
	Unk.	18	38	61	1	83	205	<u>5</u>
		218	1	39	62	84	305	

7-5351

Summary of deaths

Year 1918 *Chorea*
(Cause of Death.)

DEATH BY CAUSES.

Total 9 No. 72 Rate _____

Sex	Social Condition	COUNTIES						
M. <u>3</u>	S. <u>4</u>	1.	318	40	63	85		
F. <u>6</u>	M. <u>3</u>	201	19	240	263	285		
Color.	W. <u>2</u>	2.	219	41	363	86		
W. <u>9</u>	D.	3.	20	42	64	87		
B.	Un.	203	21	43	65	287		
	Ages.	4.	22	44	66	88		
Nativity.	M. F.	5.	23	45	67	89		
N. <u>8</u>	-1	405	223	46	267	289		
F. <u>1</u>	1-2	6.	24	47	68	90		
Un.	3-4	206	25	48	69	91		
Months.	5-9	7.	26	49	70	92		
Jan. <u>1</u>	10-14	8.	27	50	71	93		
Feb. <u>-</u>	15-19	208	28	250	72	94		
Mar. <u>2</u>	20-24	308	29	51	73	95		
Apr. <u>2</u>	25-29	9.	229	52	74	96		
May <u>-</u>	30-34	10.	30	252	75	296		
June <u>1</u>	35-39	11.	230	53	76	97		
July <u>-</u>	40-44	211	31	54	77	98		
Aug. <u>2</u>	45-49	12.	231	55	78	99		
Sept. <u>-</u>	50-59	13.	32	56	278	100		
Oct. <u>1</u>	60-69	14.	33	256	79	101		
Nov. <u>-</u>	70-79	15.	34	57	80	102		
Dec. <u>-</u>	80-89	215	35	58	81	103		
	90-99	16.	36	59	281	104		
	100	17.	37	60	82	105		
	Unk.	18.	38	61	83	205		
		218	39	62	84	305		

7-5351

Summary of deaths

Year 1918

Neuralgia and Neuritis
(Cause of Death.)

No. 73

Total 8 Rate _____

Sex	Social Condition	COUNTIES					
M. <u>1</u>	S. _____	1	318	40	1	63	85
F. <u>7</u>	M. <u>5</u>	201	19	240	263	1	285
Color.	W. <u>3</u>	2	219	41	363		86
W. <u>8</u>	D. _____	3	20	42	64		87
B. _____	Un. _____	203	1	21	43	65	287
	Ages.	4	22	44	66		88
Nativity.	M. F.	5	23	45	67		89
N. <u>7</u>	-1	405	223	46	267		289
F. <u>1</u>	1-2	6	24	47	68	1	90
Un. _____	3-4	206	25	48	69		91
Months.	5-9	7	26	49	70		92
Jan. _____	10-14	8	27	1	50	71	93
Feb. _____	15-19	208	28	250	72		94
Mar. <u>1</u>	20-24	308	29	51	73		95
Apr. _____	25-29	9	229	52	74		96
May _____	30-34	10	30	252	75		296
June <u>1</u>	35-39	11	230	53	76		97
July _____	40-44	211	31	54	77		98
Aug. <u>2</u>	45-49	12	231	55	78		99
Sept. <u>1</u>	50-59	13	32	56	278		100
Oct. <u>1</u>	60-69	14	33	256	79		101
Nov. <u>1</u>	70-79	15	34	57	80		102
Dec. <u>1</u>	80-89	215	35	58	81		103
	90-99	16	36	59	1	281	1
	100	17	37	60	82		105
	Unk.	18	38	61	83		205
		218	39	62	84		305

7-5381



Summary of deaths

Year 1918

Other Diseases of the Nervous System
(Cause of Death.)

No. 74

Total 73 Rate _____

Sex	Social Condition	COUNTIES									
M. <u>40</u>	S. <u>28</u>	1	318	1	40	1	63		85	1	
F. <u>33</u>	M. <u>34</u>	201	1	19	240		263		285		
Color.	W. <u>9</u>	2	1	219	2	41	1	363	1	86	
W. <u>71</u>	D. <u>-</u>	3		20	2	42		64		87	
B. <u>2</u>	Un. <u>2</u>	203		21	3	43	1	65		287	1
	Ages.	4		22		44	1	66		88	
Nativity.	M. F.	5	1	23		45		67		89	4
N. <u>68</u>	-1 <u>2</u> <u>4</u>	405		223		46		267	1	289	6
F. <u>5</u>	1-2 <u>1</u> <u>-</u>	6		24		47		68		90	
Un. <u>-</u>	3-4 <u>-</u> <u>1</u>	206		25	1	48		69	1	91	1
Months.	5-9 <u>3</u> <u>2</u>	7	1	26	1	49		70		92	1
Jan. <u>1</u>	10-14 <u>4</u> <u>2</u>	8	1	27		50		71	2	93	
Feb. <u>3</u>	15-19 <u>2</u> <u>2</u>	208	1	28		250		72		94	
Mar. <u>10</u>	20-24 <u>1</u> <u>2</u>	308		29		51		73	1	95	
Apr. <u>6</u>	25-29 <u>2</u> <u>1</u>	9		229		52	1	74		96	
May <u>6</u>	30-34 <u>6</u> <u>3</u>	10		30	1	252	1	75	1	296	1
June <u>7</u>	35-39 <u>-</u> <u>1</u>	11	3	230		53		76		97	
July <u>5</u>	40-44 <u>-</u> <u>-</u>	211		31	1	54	3	77		98	
Aug. <u>7</u>	45-49 <u>1</u> <u>-</u>	12		231		55		78		99	
Sept. <u>4</u>	50-59 <u>8</u> <u>4</u>	13		32		56		278		100	
Oct. <u>10</u>	60-69 <u>8</u> <u>7</u>	14		33	1	256		79		101	1
Nov. <u>7</u>	70-79 <u>2</u> <u>3</u>	15		34		57		80	3	102	
Dec. <u>7</u>	80-89 <u>-</u> <u>1</u>	215		35		58	1	81		103	
	90-99 <u>-</u> <u>-</u>	16	11	36		59		281	1	104	
	100 <u>-</u> <u>-</u>	17		37		60		82		105	
	Unk. <u>-</u> <u>-</u>	18	2	38		61	2	83		205	9
		218		39		62		84		305	

7-5381

Summary of deaths

Year 1918 **DEATH BY CAUSES.** No. 75

Diseases of the Eye
(Cause of Death.)

Total 3 Rate _____

Sex	Social Condition	COUNTIES					
M. <u>1</u>	S. <u>2</u>	1	318	40	63	85	
F. <u>2</u>	M. <u>1</u>	201	19	<u>2</u> 240	263	285	
Color.	W.	2	219	41	363	86	
W. <u>3</u>	D.	3	20	42	64	87	
B.	Un.	203	21	43	65	287	<u>1</u>
	Ages.	4	22	44	66	88	
Nativity.	M.	5	23	45	67	89	
N. <u>3</u>	-1	405	223	46	267	289	
F.	1-2	6	24	47	68	90	
Un.	3-4	206	25	48	69	91	
Months.	5-9	7	26	49	70	92	
Jan. <u>1</u>	10-14	8	27	50	71	93	
Feb.	15-19	208	28	250	72	94	
Mar.	20-24	308	29	51	73	95	
Apr.	25-29	9	229	52	74	96	
May	30-34	10	30	252	75	296	
June	35-39	11	230	53	76	97	
July <u>1</u>	40-44	211	31	54	77	98	
Aug. <u>1</u>	45-49	12	231	55	78	99	
Sept.	50-59	13	32	56	278	100	
Oct.	60-69	14	33	256	79	101	
Nov.	70-79	15	34	57	80	102	
Dec.	80-89	215	35	58	81	103	
	90-99	16	36	59	281	104	
	100	17	37	60	82	105	
	Unk.	18	38	61	83	205	
		218	39	62	84	305	

7-5361

Summary of deaths

Year 1918 **DEATH BY CAUSES.** No. 76

Diseases of the Ear
(Cause of Death.)

Total 16 Rate _____

Sex	Social Condition	COUNTIES				
M <u>11</u>	S <u>10</u>	1	318	40	63	85
F <u>5</u>	M <u>6</u>	201	19	240	263	285
Color.	W.	2	219	41	363	86
W <u>15</u>	D.	3	20	42	64	87
B <u>1</u>	Un.	203	21	43	65	287
	Ages.	4	22	44	66	88
Nativity.	M.	5	23	45	67	89
N <u>15</u>	—1	405	223	46	267	289
F <u>1</u>	1-2	6	24	47	68	90
Un.	3-4	206	25	48	69	91
Months.	5-9	7	26	49	70	92
Jan. <u>1</u>	10-14	8	27	50	71	93
Feb. <u>3</u>	15-19	208	28	250	72	94
Mar. <u>3</u>	20-24	308	29	51	73	95
Apr. <u>1</u>	25-29	9	229	52	74	96
May <u>2</u>	30-34	10	30	252	75	296
June <u>—</u>	35-39	11	230	53	76	97
July <u>—</u>	40-44	211	31	54	77	98
Aug. <u>3</u>	45-49	12	231	55	78	99
Sept. <u>—</u>	50-59	13	32	56	278	100
Oct. <u>—</u>	60-69	14	33	256	79	101
Nov. <u>2</u>	70-79	15	34	57	80	102
Dec. <u>1</u>	80-89	215	35	58	81	103
	90-99	16	36	59	281	104
	100	17	37	60	82	105
	Unk.	18	38	61	83	205
		218	39	62	84	305

7-5351



Summary of deaths

Year 1918

DEATH BY CAUSES.

Pericarditis
(Cause of Death.)

No. 77

Total 18

Rate

Sex	Social Condition	COUNTIES				
M <u>9</u>	S <u>5</u>	1	318	40	63	85
F <u>9</u>	M <u>9</u>	201	19	240	263	285
Color.	W <u>4</u>	2	1	219	41	363
W <u>17</u>	D	3	20	42	64	87
B <u>1</u>	Un	203	21	1	43	65
						287
	Ages.	4	22	44	66	88
Nativity.	M. F.	5	23	1	45	67
N <u>16</u>	-1	405	223	46	2	267
F <u>2</u>	1-2	6	24	47	68	90
Un	3-4	206	25	48	69	91
Months.	5-9	7	1	26	49	70
Jan. <u>5</u>	10-14	8	27	50	1	71
Feb. <u>2</u>	15-19	208	28	250	72	94
Mar. <u>1</u>	20-24	308	1	29	51	73
Apr. <u>1</u>	25-29	9	229	52	1	74
May	30-34	10	30	252	75	296
June <u>1</u>	35-39	11	230	53	76	97
July	40-44	211	31	54	77	98
Aug. <u>1</u>	45-49	12	231	55	78	99
Sept. <u>2</u>	50-59	13	32	56	278	100
Oct. <u>2</u>	60-69	14	33	256	79	101
Nov. <u>2</u>	70-79	15	34	57	1	80
Dec. <u>1</u>	80-89	215	1	35	58	81
	90-99	16	36	59	281	104
	100	17	37	60	82	105
	Unk.	18	38	61	83	205
		218	39	2	62	84
						305

7-5351

Kansas Memory



KANSAS
HISTORICAL
SOCIETY

Summary of deaths

Year 1918 **DEATH BY CAUSES.** No. 78

Acute Endocarditis
(Cause of Death.)

Total 112 Rate _____

Sex	Social Condition	COUNTIES									
M <u>58</u>	S <u>38</u>	1	318	40	<u>2</u>	63	<u>3</u>	85	<u>1</u>		
F <u>54</u>	M <u>58</u>	201	19	<u>3</u>	240	263		285	<u>2</u>		
Color.	W <u>13</u>	2	219	<u>3</u>	41	363		86			
W <u>99</u>	D <u>2</u>	3	<u>1</u>	20	42	64	<u>1</u>	87			
B <u>13</u>	Un <u>1</u>	203	<u>2</u>	21	<u>1</u>	43	<u>1</u>	65		287	<u>10</u>
	Ages.	4		22	<u>1</u>	44		66	<u>1</u>	88	<u>2</u>
Nativity.	M. F.	5		23		45		67		89	<u>1</u>
N <u>106</u>	-1 <u>-</u> <u>3</u>	405	<u>1</u>	223	<u>2</u>	46	<u>1</u>	267		289	<u>14</u>
F <u>6</u>	1-2 <u>-</u> <u>1</u>	6		24		47		68	<u>1</u>	90	
Un	3-4 <u>-</u> <u>1</u>	206		25		48	<u>1</u>	69		91	
Months.	5-9 <u>3</u> <u>3</u>	7		26	<u>1</u>	49		70	<u>2</u>	92	<u>1</u>
Jan. <u>1</u>	10-14 <u>3</u> <u>3</u>	8		27		50	<u>1</u>	71	<u>1</u>	93	<u>1</u>
Feb. <u>9</u>	15-19 <u>6</u> <u>3</u>	208		28		250	<u>3</u>	72		94	
Mar. <u>8</u>	20-24 <u>5</u> <u>3</u>	308	<u>1</u>	29		51		73		95	
Apr. <u>17</u>	25-29 <u>1</u> <u>6</u>	9		229	<u>1</u>	52	<u>1</u>	74		96	<u>1</u>
May <u>21</u>	30-34 <u>1</u> <u>5</u>	10		30	<u>3</u>	252	<u>1</u>	75		296	
June <u>13</u>	35-39 <u>6</u> <u>2</u>	11		230		53		76		97	
July <u>7</u>	40-44 <u>4</u> <u>6</u>	211		31	<u>2</u>	54	<u>1</u>	77		98	
Aug. <u>8</u>	45-49 <u>7</u> <u>1</u>	12		231	<u>1</u>	55		78		99	<u>2</u>
Sept. <u>5</u>	50-59 <u>20</u> <u>11</u>	13		32		56		278	<u>2</u>	100	<u>1</u>
Oct. <u>3</u>	60-69 <u>1</u> <u>4</u>	14		33		256		79		101	
Nov. <u>13</u>	70-79 <u>1</u> <u>2</u>	15	<u>1</u>	34		57		80		102	
Dec. <u>7</u>	80-89 <u>-</u> <u>-</u>	215	<u>1</u>	35		58		81		103	<u>2</u>
	90-99 <u>-</u> <u>-</u>	16	<u>1</u>	36		59	<u>1</u>	281		104	
	100 <u>-</u> <u>-</u>	17	<u>2</u>	37		60	<u>1</u>	82		105	
	Unk. <u>-</u> <u>-</u>	18	<u>1</u>	38		61	<u>2</u>	83		205	<u>13</u>
		218		39	<u>2</u>	62	<u>1</u>	84		305	<u>2</u>

7-5351



Summary of deaths

Year 1918

DEATH BY CAUSES.

Organic Diseases of the Heart
(Cause of Death.)

No. 79

Total 1771

Rate 102.1

Sex		Social Condition		COUNTIES															
M	993	S	211	1	15	318	7	40	15	63	16	85	4						
F	778	M	916	201	11	19	38	240	12	263	4	285	12						
Color.		W	596	2	15	219	10	41		363	15	86	1						
W	1655	D	14	3	6	20	4	42		64	6	87	16						
B	113	Un	34	203	18	21	30	43	14	65	1	287	68						
Ind 3		Ages.		4	8	22	10	44	25	66	14	88	1						
Nativity.		M.	F.	5	12	23	11	45	19	67	11	89	30						
N	1465	-1	3	4	405	6	223	22	46	22	267	11	289	90					
F	305	1-2	3	2	6	8	24	4	47	1	68	3	90	6					
Un	1	3-4	1	1	206	10	25	8	48	6	69	13	91	2					
Months.		5-9	5	7	7	18	26	11	49	2	70	18	92	6					
Jan.	201	10-14	10	7	8	18	27	10	50	20	71	11	93	3					
Feb.	164	15-19	7	8	208	8	28	6	250	20	72	6	94						
Mar.	199	20-24	14	18	308	7	29	10	51		73	8	95						
Apr.	170	25-29	10	4	9	11	229	9	52	102	74	10	96	17					
May	129	30-34	14	19	10	6	30	6	252	32	75	20	296	8					
June	119	35-39	23	23	11	21	230	7	53	9	76	11	97	4					
July	116	40-44	25	25	211	5	31	9	54	15	77	7	98	2					
Aug.	126	45-49	34	44	12	3	231	11	55		78	16	99	13					
Sept.	129	50-59	100	92	13	1	32	7	56	13	278	26	100	2					
Oct.	139	60-69	237	177	14	15	33	1	256	16	79	19	101	17					
Nov.	129	70-79	342	232	15	8	34		57	10	80	12	102	2					
Dec.	150	80-89	140	92	215	4	35	2	58	26	81	3	103	17					
		90-99	16	13	16	14	36		59	26	281	15	104	10					
		100	1	-	17	3	37	5	60		82	4	105	29					
		Unk.	4	-	18	11	38	1	61	53	83	1	205	115					
					218	8	39	9	62	19	84	10	305	15					

7-5331

Summary of deaths

7-5351

Summary of deaths

Year 1918 **DEATH BY CAUSES.**
Diseases of the Veins
(Cause of Death.) No. 83
 Total 7 Rate _____

Sex	Social Condition		COUNTIES						
M. <u>5</u>	S. <u>1</u>		1	318	40	63	1	85	
F. <u>2</u>	M. <u>3</u>		201	19	240	263		285	
Color.	W. <u>2</u>		2	219	41	363		86	
W. <u>6</u>	D.		3	20	42	64		87	1
B. <u>1</u>	Un. <u>1</u>		203	21	43	65		287	
	Ages.		4	22	44	66		88	
Nativity.	M.	F.	5	23	45	67		89	1
N. <u>6</u>	-1	-	405	223	46	267		289	
F. <u>1</u>	1-2	-	6	24	47	68		90	
Un.	3-4	-	206	25	48	69		91	
Months.	5-9	-	7	26	49	70		92	
Jan. <u>3</u>	10-14	-	8	27	50	1	71		93
Feb. <u>1</u>	15-19	-	208	28	250		72		94
Mar.	20-24	-	308	29	51		73		95
Apr. <u>1</u>	25-29	-	9	229	52	1	74		96
May	30-34	-	10	1	30	252	75		296
June	35-39	-	11	230	53		76		97
July	40-44	-	211	31	54		77		98
Aug.	45-49	-	12	231	55		78	1	99
Sept.	50-59	1	13	32	56		278		100
Oct.	60-69	2	14	33	256		79		101
Nov.	70-79	2	15	34	57		80		102
Dec. <u>2</u>	80-89	-	215	35	58		81		103
	90-99	-	16	36	59		281		104
	100	-	17	37	60		82		105
	Unk.	-	18	38	61		83		205
			218	39	62		84		305

7-5351

Summary of deaths

Year 1916

DEATH BY CAUSES.

Diseases of the Lymphatic System
(Cause of Death)

No. 84

Total 2 Rate _____

Sex	Social Condition	COUNTIES				
M. <u>1</u>	S. <u>2</u>	1.	318	40	63	85
F. <u>1</u>	M. <u>-</u>	201	19	240	263	285
Color.	W. <u>-</u>	2	219	41	363	86
W. <u>2</u>	D. <u>-</u>	3	20	42	64	87
B. <u>-</u>	Un. <u>-</u>	203	21	43	65	287
	Ages.	4	22	44	66	88
Nativity.	M. F.	5	23	45	67	89
N. <u>2</u>	-1 <u>1</u> <u>-</u>	405	223	46	267	289
F. <u>-</u>	1-2 <u>-</u> <u>1</u>	6	24	47	68	90
Un. <u>-</u>	3-4 <u>-</u> <u>-</u>	206	25	48	69	91
Months.	5-9 <u>-</u> <u>-</u>	7	26	49	70	92
Jan. <u>-</u>	10-14 <u>-</u> <u>-</u>	8	27	50	71	93
Feb. <u>-</u>	15-19 <u>-</u> <u>-</u>	208	28	250	72	94
Mar. <u>-</u>	20-24 <u>-</u> <u>-</u>	308	29	51	73	95
Apr. <u>-</u>	25-29 <u>-</u> <u>-</u>	9	229	52	74	96
May <u>-</u>	30-34 <u>-</u> <u>-</u>	10	30	252	75	296
June <u>-</u>	35-39 <u>-</u> <u>-</u>	11	230	53	76	97
July <u>-</u>	40-44 <u>-</u> <u>-</u>	211	31	54	77	98
Aug. <u>2</u>	45-49 <u>-</u> <u>-</u>	12	231	55	78	99
Sept. <u>-</u>	50-59 <u>-</u> <u>-</u>	13	32	56	278	100
Oct. <u>-</u>	60-69 <u>-</u> <u>-</u>	14	33	256	79	101
Nov. <u>-</u>	70-79 <u>-</u> <u>-</u>	15	34	57	80	102
Dec. <u>-</u>	80-89 <u>-</u> <u>-</u>	215	35	58	81	103
	90-99 <u>-</u> <u>-</u>	16	36	59	281	104
	100 <u>-</u> <u>-</u>	17	37	60	82	105
	Unk. <u>-</u> <u>-</u>	18	38	61	83	205
		218	39	62	84	305

7-5351



Summary of deaths

Year 1916

DEATH BY CAUSES.

Other Diseases, Circulatory System
(Cause of Death.)

No. 85

Total 26

Rate

Sex	Social Condition	COUNTIES				
M. <u>14</u>	S. <u>6</u>	1.	318	40	63	85
F. <u>12</u>	M. <u>15</u>	201	19	240	263	285
Color.	W. <u>5</u>	2.	219	41	363	86
W. <u>26</u>	D.	3.	20	42	64	87
B.	Un.	203	21	43	65	287
	Ages.	4.	22	44	66	88
Nativity.	M.	5.	23	45	67	89
N. <u>21</u>	—1	405	223	46	267	289
F. <u>5</u>	1-2	6.	24	47	68	90
Un.	3-4	206	25	48	69	91
Months.	5-9	7.	26	49	70	92
Jan. <u>1</u>	10-14	8.	27	50	71	93
Feb. <u>5</u>	15-19	208	28	250	72	94
Mar.	20-24	308	29	51	73	95
Apr. <u>2</u>	25-29	9.	229	52	74	96
May	30-34	10.	30	252	75	296
June <u>3</u>	35-39	11.	230	53	76	97
July <u>3</u>	40-44	211	31	54	77	98
Aug.	45-49	12.	231	55	78	99
Sept. <u>7</u>	50-59	13.	32	56	278	100
Oct. <u>1</u>	60-69	14.	33	256	79	101
Nov. <u>1</u>	70-79	15.	34	57	80	102
Dec. <u>3</u>	80-89	215	35	58	81	103
	90-99	16.	36	59	281	104
	100	17.	37	60	82	105
	Unk.	18.	38	61	83	205
		218	39	62	84	305

7-5351



Summary of deaths

Year 1918

DEATH BY CAUSES.

Diseases of the Nasal Fossae
(Cause of Death.)

No. 86

Total 1

Rate

Sex	Social Condition			COUNTIES				
M. <u>1</u>	S. <u>1</u>			1	318	40	63	85
F. <u>-</u>	M. <u>-</u>			201	19	240	263	285
Color.	W. <u>-</u>			2	219	41	363	86
W. <u>1</u>	D. <u>-</u>			3	20	42	64	87
B. <u>-</u>	Un. <u>-</u>			203	21	43	65	287
	Ages.			4	22	44	66	88
Nativity.		M.	F.	5	23	45	67	89
N. <u>1</u>	-1	-	-	405	223	46	267	289
F. <u>-</u>	1-2	-	-	6	24	47	68	90
Un. <u>-</u>	3-4	-	-	206	25	48	69	91
Months.	5-9	1	-	7	26	49	70	92
Jan. <u>-</u>	10-14	-	-	8	27	50	71	93
Feb. <u>1</u>	15-19	-	-	208	28	250	72	94
Mar. <u>-</u>	20-24	-	-	308	29	51	73	95
Apr. <u>-</u>	25-29	-	-	9	229	52	74	96
May <u>-</u>	30-34	-	-	10	30	252	75	296
June <u>-</u>	35-39	-	-	11	230	53	76	97
July <u>-</u>	40-44	-	-	211	31	54	77	98
Aug. <u>-</u>	45-49	-	-	12	231	55	78	99
Sept. <u>-</u>	50-59	-	-	13	32	56	278	100
Oct. <u>-</u>	60-69	-	-	14	33	256	79	101
Nov. <u>-</u>	70-79	-	-	15	34	57	80	102
Dec. <u>-</u>	80-89	-	-	215	35	58	81	103
	90-99	-	-	16	36	59	281	104
	100	-	-	17	37	60	82	105
	Unk.	-	-	18	38	61	83	205
				218	39	62	84	305

7-5351

Summary of deaths

Year 1918 **DEATH BY CAUSES.**

Diseases of the Larynx (Cause of Death.) No. 87

Total 7 Rate _____

Sex	Social Condition	COUNTIES						
M. <u>4</u>	S. <u>5</u>	1	318	40	63	85		
F. <u>3</u>	M. <u>2</u>	201	19	240	263	285		
Color.	W.	2	219	41	363	86		
W. <u>6</u>	D.	3	20	42	64	87		
B. <u>1</u>	Un.	203	21	43	65	287		
	Ages.	4	22	44	66	88		
Nativity.	M.	F.	5	23	45	67	89	
N. <u>7</u>	-1	-	405	223	46	267	289	
F. <u>-</u>	1-2	1	6	24	47	68	90	
Un. <u>-</u>	3-4	1	206	25	48	69	91	
Months.	5-9	-	7	26	49	70	92	
Jan. <u>-</u>	10-14	-	8	27	50	71	93	
Feb. <u>1</u>	15-19	1	208	28	250	72	94	
Mar. <u>1</u>	20-24	-	308	29	51	73	95	
Apr. <u>1</u>	25-29	-	9	229	52	74	96	
May. <u>-</u>	30-34	-	10	30	252	75	296	
June. <u>-</u>	35-39	1	11	230	53	76	97	
July. <u>-</u>	40-44	-	211	31	54	77	98	1
Aug. <u>1</u>	45-49	-	12	231	55	78	99	
Sept. <u>1</u>	50-59	1	13	32	56	278	100	
Oct. <u>-</u>	60-69	-	14	33	256	79	101	
Nov. <u>1</u>	70-79	-	15	34	57	80	102	1
Dec. <u>1</u>	80-89	-	215	35	58	81	103	
	90-99	-	16	36	59	281	104	
	100	-	17	37	60	82	105	
	Unk.	-	18	38	61	83	205	
			218	39	62	84	305	

7-5351

Summary of deaths

Year 1918

DEATH BY CAUSES.

Diseases of the Thyroid Body
(Cause of Death.)

No. 88

Total 12

Rate

Sex	Social Condition	COUNTIES					
M <u>2</u>	S <u>3</u>	1	318	40	63	1	85
F <u>10</u>	M <u>7</u>	201	19	240	263		285
Color.	W <u>1</u>	2	219	41	363		86
W <u>11</u>	D <u>1</u>	3	20	42	64		87
B <u>1</u>	Un	203	21	43	65		287
	Ages.	4	22	44	66		88
Nativity.	M.	5	23	45	67		89
N <u>12</u>	—1	405	223	46	267		289
F	1-2	6	24	47	68		90
Un	3-4	206	25	48	69		91
Months.	5-9	7	26	49	70		92
Jan. <u>1</u>	10-14	8	27	50	71		93
Feb. <u>—</u>	15-19	208	28	250	72		94
Mar. <u>1</u>	20-24	308	29	51	73		95
Apr. <u>1</u>	25-29	9	229	52	74		96
May <u>1</u>	30-34	10	30	252	75		296
June <u>1</u>	35-39	11	230	53	76		97
July <u>1</u>	40-44	211	31	54	77		98
Aug. <u>2</u>	45-49	12	231	55	78		99
Sept. <u>—</u>	50-59	13	32	56	278		100
Oct. <u>1</u>	60-69	14	33	256	79		101
Nov. <u>1</u>	70-79	15	34	57	80		102
Dec. <u>2</u>	80-89	215	35	58	81		103
	90-99	16	36	59	281		104
	100	17	37	60	82		105
	Unk.	18	38	61	83		205
		218	39	62	84		305

7-5381



Summary of deaths

Year 1918

DEATH BY CAUSES.

Acute Bronchitis
(Cause of Death.)

No. 89

Total 50

Rate

Sex		Social Condition		COUNTIES							
M	30	S	32	1	2	318	40	63	1	85	1
F	20	M	9	201	19	4	240	263	1	285	
Color.		W	9	2	219	1	41	363	2	86	
W	46	D		3	20		42	64		87	
B	4	Un		203	21		43	1	65	287	1
		Ages.		4	22	1	44	66		88	
Nativity.		M.	F.	5	1	23	45	67		89	
N	44	-1	10	6	405	223	46	267		289	1
F	6	1-2	6	5	6	1	24	47	68	90	
Un		3-4	1	1	206	25	48	69		91	
Months.		5-9	-	-	7	26	49	70	1	92	1
Jan.	9	10-14	-	-	8	27	50	71		93	
Feb.	4	15-19	-	-	208	28	250	72	1	94	
Mar.	2	20-24	-	-	308	29	51	73		95	
Apr.	10	25-29	-	-	9	229	1	52	1	74	96
May	5	30-34	2	2	10	1	30	252	2	75	1
June	1	35-39	-	-	11	230	53	76		97	
July	2	40-44	-	-	211	31	54	1	77	98	
Aug.		45-49	-	-	12	1	231	55		78	99
Sept.	1	50-59	2	1	13	32	56	1	278	1	100
Oct.	9	60-69	-	1	14	33	256	1	79	101	
Nov.	4	70-79	4	1	15	1	34	57		80	102
Dec.	3	80-89	4	3	215	2	35	58		81	1
		90-99	1	-	16	36	59	1	281	104	
		100	-	-	17	37	60		82	105	1
		Unk.	-	-	18	1	38	61	2	83	205
					218	39	62	84	1	305	

7-5351



Summary of deaths

Year 1918

DEATH BY CAUSES.

Chronic Bronchitis
(Cause of Death.)

No. 90

Total 100

Rate

Sex	Social Condition	COUNTIES									
M <u>50</u>	S <u>18</u>	1	1	318	1	40	1	63	2	85	1
F <u>50</u>	M <u>33</u>	201		19	6	240	2	263		285	2
Color.	W <u>46</u>	2		219		41		363		86	
W <u>93</u>	D	3		20		42		64		87	1
B <u>7</u>	Un <u>3</u>	203		21	2	43	1	65		287	5
	Ages.	4		22		44	2	66	2	88	
Nativity.	M. F.	5	1	23	1	45		67		89	
N <u>84</u>	-1 - 2	405	1	223	1	46		267		289	4
F <u>16</u>	1-2 4 1	6	1	24		47		68		90	
Un	3-4 - 1	206	1	25		48	1	69		91	
Months.	5-9 1 1	7		26	1	49		70		92	
Jan. <u>13</u>	10-14 - -	8		27		50		71	1	93	
Feb. <u>9</u>	15-19 1 -	208		28		250		72		94	
Mar. <u>11</u>	20-24 - 2	308		29		51		73		95	1
Apr. <u>18</u>	25-29 - 1	9		229	1	52	5	74		96	
May <u>9</u>	30-34 1 1	10	1	30		252	3	75		296	1
June <u>9</u>	35-39 1 1	11	1	230	1	53		76		97	1
July <u>3</u>	40-44 - -	211	2	31		54	2	77		98	
Aug. <u>1</u>	45-49 1 2	12		231	1	55		78	1	99	2
Sept. <u>4</u>	50-59 3 2	13		32		56		278	1	100	
Oct. <u>7</u>	60-69 6 6	14		33		256	2	79	2	101	1
Nov. <u>7</u>	70-79 18 12	15	1	34		57		80		102	
Dec. <u>9</u>	80-89 12 14	215		35	1	58		81	1	103	2
	90-99 2 4	16	1	36		59	2	281		104	
	100 - -	17		37		60	1	82		105	2
	Unk. - -	18	1	38		61		83	1	205	13
		218		39		62	2	84		305	1

7-5351

Summary of deaths

Year 1918

DEATH BY CAUSES.

Bronchopneumonia
(Cause of Death.)

No. 91

Total 826

Rate

Sex		Social Condition		COUNTIES															
M	<u>463</u>	S	<u>484</u>	1	<u>7</u>	318	<u>5</u>	40	<u>4</u>	63	<u>11</u>	85	<u>2</u>						
F	<u>363</u>	M	<u>206</u>	201	<u>6</u>	19	<u>25</u>	240	<u>2</u>	263	<u>3</u>	285	<u>6</u>						
Color.		W	<u>109</u>	2	<u>1</u>	219	<u>4</u>	41		363	<u>8</u>	86							
W	<u>767</u>	D	<u>3</u>	3	<u>3</u>	20	<u>2</u>	42	<u>2</u>	64	<u>3</u>	87	<u>7</u>						
B	<u>59</u>	Un	<u>24</u>	203	<u>3</u>	21	<u>6</u>	43	<u>1</u>	65	<u>2</u>	287	<u>46</u>						
		Ages.		4	<u>2</u>	22	<u>4</u>	44	<u>6</u>	66	<u>9</u>	88	<u>2</u>						
Nativity.		M.	F.	5	<u>2</u>	23	<u>8</u>	45	<u>6</u>	67	<u>3</u>	89	<u>11</u>						
N	<u>765</u>	-1	<u>115</u>	405		223	<u>9</u>	46	<u>5</u>	267	<u>2</u>	289	<u>34</u>						
F	<u>60</u>	1-2	<u>65</u>	6	<u>8</u>	24	<u>4</u>	47		68	<u>3</u>	90	<u>2</u>						
Un	<u>1</u>	3-4	<u>12</u>	206	<u>5</u>	25	<u>2</u>	48	<u>2</u>	69	<u>1</u>	91	<u>1</u>						
Months.		5-9	<u>12</u>	7	<u>5</u>	26	<u>8</u>	49	<u>3</u>	70	<u>6</u>	92	<u>7</u>						
Jan.	<u>130</u>	10-14	<u>9</u>	8	<u>10</u>	27	<u>2</u>	50	<u>13</u>	71	<u>3</u>	93	<u>2</u>						
Feb.	<u>90</u>	15-19	<u>12</u>	<u>3</u>	208	<u>16</u>	<u>5</u>	250	<u>16</u>	72	<u>2</u>	94							
Mar.	<u>91</u>	20-24	<u>49</u>	<u>22</u>	308	<u>12</u>	<u>2</u>	51		73	<u>3</u>	95	<u>2</u>						
Apr.	<u>98</u>	25-29	<u>37</u>	<u>24</u>	9	<u>2</u>	229	<u>2</u>	52	<u>17</u>	74	<u>4</u>	96	<u>5</u>					
May	<u>45</u>	30-34	<u>19</u>	<u>12</u>	10	<u>1</u>	30	6	252	<u>3</u>	75	<u>4</u>	296	<u>2</u>					
June	<u>15</u>	35-39	<u>14</u>	<u>7</u>	11	<u>17</u>	230	<u>6</u>	53	<u>2</u>	76	<u>3</u>	97	<u>2</u>					
July	<u>8</u>	40-44	<u>9</u>	<u>5</u>	211	<u>8</u>	31	<u>48</u>	54	<u>1</u>	77	<u>2</u>	98	<u>1</u>					
Aug.	<u>13</u>	45-49	<u>5</u>	<u>7</u>	12	<u>2</u>	231	<u>14</u>	55	<u>3</u>	78	<u>4</u>	99	<u>1</u>					
Sept.	<u>17</u>	50-59	<u>16</u>	<u>16</u>	13	<u>1</u>	32	<u>2</u>	56	<u>6</u>	278	<u>15</u>	100	<u>3</u>					
Oct.	<u>86</u>	60-69	<u>18</u>	<u>24</u>	14	<u>2</u>	33	<u>1</u>	256	<u>1</u>	79	<u>4</u>	101	<u>4</u>					
Nov.	<u>96</u>	70-79	<u>34</u>	<u>41</u>	15	<u>5</u>	34		57	<u>6</u>	80	<u>6</u>	102						
Dec.	<u>137</u>	80-89	<u>27</u>	<u>24</u>	215	<u>2</u>	35		58	<u>5</u>	81	<u>4</u>	103	<u>4</u>					
		90-99	<u>5</u>	<u>5</u>	16	<u>2</u>	36	<u>1</u>	59	<u>13</u>	281	<u>2</u>	104	<u>3</u>					
		100	-	-	17		37	<u>3</u>	60	<u>1</u>	82	<u>1</u>	105	<u>2</u>					
		Unk.	-	<u>2</u>	18	<u>6</u>	38	<u>2</u>	61	<u>20</u>	83	<u>1</u>	205	<u>102</u>					
					218	<u>3</u>	39	<u>2</u>	62	<u>2</u>	84	<u>2</u>	305	<u>10</u>					

7-5351

Summary of deaths

Year 1918

DEATH BY CAUSES.

Pneumonia
(Cause of Death.)

No. 92

Total 5223

Rate

Sex	Social Condition	COUNTIES															
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
M <u>3315</u>	S <u>2225</u>	29	318	42	40	14	63	56	85	19							
F <u>1908</u>	M <u>2342</u>	201	38	19	149	240	42	263	43	285	52						
Color.	W <u>357</u>	2	25	219	68	41	1	363	27	86	3						
W <u>4825</u>	D <u>27</u>	3	13	20	6	42	3	64	24	87	22						
B <u>374</u>	Un. <u>272</u>	203	25	21	49	43	32	65	19	287	248						
<u>Ind 24</u>	Ages.	4	29	22	21	44	25	66	37	88	30						
Nativity.	M.	5	22	23	16	45	22	67	19	89	34						
N <u>4728</u>	—1 <u>133</u> <u>95</u>	405	12	223	31	46	39	267	69	289	197						
F <u>491</u>	1-2 <u>97</u> <u>80</u>	6	26	24	11	47	4	68	11	90	2						
Un <u>4</u>	3-4 <u>50</u> <u>46</u>	206	36	25	16	48	23	69	10	91	12						
Months.	5-9 <u>56</u> <u>65</u>	7	40	26	48	49	4	70	34	92	22						
Jan. <u>244</u>	10-14 <u>63</u> <u>72</u>	8	26	27	26	50	47	71	25	93	24						
Feb. <u>232</u>	15-19 <u>240</u> <u>108</u>	208	14	28	39	250	50	72	18	94	1						
Mar. <u>280</u>	20-24 <u>726</u> <u>240</u>	308	45	29	22	51	1	73	16	95	8						
Apr. <u>245</u>	25-29 <u>667</u> <u>293</u>	9	18	229	17	52	129	74	11	96	33						
May <u>126</u>	30-34 <u>449</u> <u>232</u>	10	21	30	24	252	68	75	27	296	19						
June <u>32</u>	35-39 <u>224</u> <u>141</u>	11	83	230	28	53	8	76	16	97	5						
July <u>29</u>	40-44 <u>124</u> <u>91</u>	211	10	31	879	54	28	77	12	98	8						
Aug. <u>29</u>	45-49 <u>75</u> <u>47</u>	12	3	231	35	55	1	78	36	99	23						
Sept. <u>60</u>	50-59 <u>117</u> <u>86</u>	13	3	32	2	56	32	278	72	100	3						
Oct. <u>1919</u>	60-69 <u>110</u> <u>102</u>	14	35	33	5	256	61	79	32	101	33						
Nov. <u>848</u>	70-79 <u>113</u> <u>103</u>	15	20	34		57	43	80	31	102	1						
Dec. <u>1179</u>	80-89 <u>59</u> <u>56</u>	215	17	35	12	58	39	81	13	103	51						
	90-99 <u>5</u> <u>2</u>	16	12	36	1	59	28	281	35	104	13						
	100 — —	17	13	37	38	60	4	82	7	105	36						
	Unk. <u>7</u> —	18	43	38	8	61	67	83	9	205	401						
		218	43	39	24	62	25	84	13	305	43						

7-3351

Summary of deaths

Year 1918 **DEATH BY CAUSES.** No. 93

Pleurisy
(Cause of Death.)

Total 54 Rate _____

Sex	Social Condition	COUNTIES						
M. <u>39</u>	S. <u>16</u>	1	318	40	63	85		
F. <u>15</u>	M. <u>27</u>	201	19	<u>2</u>	240	263	285	
Color.	W. <u>7</u>	2	<u>1</u>	219	41	363	86	
W. <u>51</u>	D. <u>1</u>	3	20	42	<u>1</u>	64	87	<u>1</u>
B. <u>3</u>	Un. <u>3</u>	203	21	43	65	287	5	
	Ages.	4	22	44	66	<u>1</u>	88	<u>1</u>
	Nativity.	5	<u>1</u>	23	45	67	89	<u>1</u>
N. <u>51</u>	—1	405	223	46	<u>1</u>	267	289	<u>1</u>
F. <u>3</u>	1-2	6	24	47	68	90		
Un.	3-4	206	25	48	69	91		
Months.	5-9	7	<u>1</u>	26	49	70	92	
Jan. <u>4</u>	10-14	8	27	50	<u>2</u>	71	93	
Feb. <u>3</u>	15-19	208	28	250	72	94		
Mar. <u>7</u>	20-24	308	29	<u>1</u>	51	73	95	
Apr. <u>8</u>	25-29	9	229	<u>1</u>	52	<u>8</u>	74	96
May <u>10</u>	30-34	10	<u>1</u>	30	<u>1</u>	252	75	<u>1</u>
June <u>12</u>	35-39	11	230	53	76	97		
July <u>5</u>	40-44	211	31	<u>3</u>	54	77	98	
Aug. <u>2</u>	45-49	12	231	55	78	<u>1</u>	99	
Sept.	50-59	13	32	56	278	<u>1</u>	100	
Oct.	60-69	14	<u>1</u>	33	256	79	101	<u>1</u>
Nov.	70-79	15	34	57	<u>1</u>	80	<u>1</u>	102
Dec. <u>3</u>	80-89	215	<u>1</u>	35	58	<u>1</u>	81	103
	90-99	16	36	59	281	104		
	100	17	37	60	82	105		
	Unk.	18	38	61	<u>2</u>	83	205	<u>6</u>
		218	39	<u>1</u>	62	84	305	<u>1</u>

7-5351

Summary of deaths

Year 1918

Pulmonary Congestion or Apoplexy
(Cause of Death)

No. 94

Total 42 Rate

Sex	Social Condition	COUNTIES									
M. <u>24</u>	S. <u>6</u>	1	318	40	63	1	85				
F. <u>18</u>	M. <u>18</u>	201	1	19	240	263	285	1			
Color.	W. <u>17</u>	2	1	219	41	363	86				
W. <u>40</u>	D. <u>1</u>	3	1	20	42	64	87				
B. <u>2</u>	Un. <u> </u>	203	1	21	43	65	287	4			
	Ages.	4	22	44	66	88					
	Nativity.	5	23	45	67	89					
N. <u>34</u>	—1 <u>2</u> <u>1</u>	405	223	46	1	267	289	3			
F. <u>8</u>	1-2 <u> </u> <u> </u>	6	24	1	47	68	90				
Un. <u> </u>	3-4 <u> </u> <u> </u>	206	25	48	69	91					
Months.	5-9 <u>1</u> <u> </u>	7	26	1	49	70	92				
Jan. <u>7</u>	10-14 <u> </u> <u> </u>	8	27	1	50	1	71	93	2		
Feb. <u>2</u>	15-19 <u> </u> <u>1</u>	208	28	1	250	72	94				
Mar. <u>7</u>	20-24 <u> </u> <u> </u>	308	29	51	73	95					
Apr. <u>6</u>	25-29 <u> </u> <u> </u>	9	229	52	74	96	2				
May <u>2</u>	30-34 <u> </u> <u>1</u>	10	30	252	75	2	296				
June <u>2</u>	35-39 <u> </u> <u>1</u>	11	230	53	76	97					
July <u> </u>	40-44 <u> </u> <u> </u>	211	31	54	1	77	98				
Aug. <u>4</u>	45-49 <u> </u> <u>1</u>	12	231	55	78	99					
Sept. <u>2</u>	50-59 <u>4</u> <u> </u>	13	32	56	278	1	100				
Oct. <u>4</u>	60-69 <u>3</u> <u>4</u>	14	1	33	256	79	101	1			
Nov. <u>2</u>	70-79 <u>7</u> <u>2</u>	15	34	57	80	2	102				
Dec. <u>4</u>	80-89 <u>6</u> <u>6</u>	215	35	58	81	103					
	90-99 <u>1</u> <u>1</u>	16	36	59	281	104					
	100 <u> </u> <u> </u>	17	37	60	82	105					
	Unk. <u> </u> <u> </u>	18	1	38	61	2	83	205	6		
		218	39	62	1	84	305				

7-5351

Summary of deaths

Year 1918 **DEATH BY CAUSES.** No. 95

Gangrene of the Lung
(Cause of Death.)

Total 4 Rate _____

Sex	Social Condition	COUNTIES				
M <u>3</u>	S <u>1</u>	1	318	40	63	85
F <u>1</u>	M <u>2</u>	201	19	240	263	285
Color.	W.	2	219	41	363	86
W <u>4</u>	D <u>1</u>	3	20	42	64	87
B <u>-</u>	Un	203	<u>1</u> 21	43	65	287 <u>2</u>
	Ages.	4	22	44	66	88
Nativity.	M. F.	5	23	45	67	89
N <u>4</u>	-1	405	223	46	267	289
F <u>-</u>	1-2	6	24	47	68	90
Un <u>-</u>	3-4	206	25	48	69	91
Months.	5-9	7	26	49	70	92
Jan. <u>1</u>	10-14	8	27	50	71	93
Feb. <u>-</u>	15-19	208	28	250	72	94
Mar. <u>1</u>	20-24	308	29	51	73	95
Apr. <u>-</u>	25-29	9	229	52	74	96
May <u>-</u>	30-34	10	30	252	75	296
June <u>-</u>	35-39	11	230	53	76	97
July <u>1</u>	40-44	211	31	54	77	98
Aug. <u>-</u>	45-49	12	231	55	78	99
Sept. <u>-</u>	50-59	13	32	56	278	100
Oct. <u>1</u>	60-69	14	33	256	79	101
Nov. <u>-</u>	70-79	15	34	57	80	102
Dec. <u>-</u>	80-89	215	35	58	81	103
	90-99	16	36	59	281	104
	100	17	37	60	82	105
	Unk.	18	38	61	83	205
		218	39	62	84	305 <u>1</u>

7-5351

Summary of deaths

Year 1918

DEATH BY CAUSES.

Asthma
(Cause of Death.)

No. 96

Total 30

Rate

Sex		Social Condition		COUNTIES							
M	16	S	3	1	318	1	40	63	1	85	1
F	14	M	13	201	19	2	240	263		285	
Color.		W	13	2	219	2	41	363		86	
W	28	D		3	20		42	64	1	87	
B	2	Un	1	203	21	1	43	65		287	2
		Ages.		4	22		44	66		88	
Nativity.			M.	F.	5	23	45	67		89	1
N	22	-1	-	-	405	223	46	267		289	
F	8	1-2	-	-	6	2	24	47	68	90	
Un		3-4	-	-	206	25	1	48	69	91	
Months.		5-9	1	-	7	26	49	70		92	
Jan.	4	10-14	-	-	8	27	50	71		93	
Feb.	3	15-19	-	-	208	28	250	72		94	
Mar.	2	20-24	-	-	308	29	51	73		95	
Apr.	5	25-29	-	-	9	229	52	74		96	2
May	3	30-34	-	-	10	30	252	75		296	
June	4	35-39	-	-	11	1	230	53	76	97	
July		40-44	-	-	211	1	31	54	77	98	
Aug.		45-49	-	2	12	231	55	78		99	
Sept.	2	50-59	1	3	13	32	56	278		100	
Oct.	2	60-69	5	3	14	33	256	79		101	2
Nov.	1	70-79	7	3	15	34	57	80		102	
Dec.	4	80-89	2	3	215	35	58	1	81	103	1
		90-99	-	-	16	36	59	281		104	
		100	-	-	17	37	60	82	3	105	
		Unk.	-	-	18	38	61	1	83	205	2
					218	39	62	84		305	1

7-5351



Summary of deaths

Year 1918

DEATH BY CAUSES.

Pulmonary Emphysema
(Cause of Death.)

No. 97

Total 6

Rate

Sex	Social Condition	COUNTIES				
M <u>3</u>	S <u>1</u>	1	318	40	63	85
F <u>3</u>	M <u>4</u>	201	19	240	263	285
Color.	W <u>1</u>	2	219	41	363	86
W <u>5</u>	D <u>-</u>	3	20	42	64	87 <u>1</u>
B <u>1</u>	Un <u>-</u>	203	21	43	65	287 <u>1</u>
	Ages.	4	22	44	66	88
Nativity.	M. F.	5	23	45	67	89
N <u>6</u>	-1 - -	405	223	46	267	289 <u>1</u>
F <u>-</u>	1-2 - -	6	24	47	68	90
Un <u>-</u>	3-4 - -	206	25	48	69	91
Months.	5-9 - -	7	26	49	70	92
Jan. <u>1</u>	10-14 - -	8	27	50	71	93
Feb. <u>-</u>	15-19 - -	208	28	250	72	94
Mar. <u>-</u>	20-24 - -	308	29	51	73	95
Apr. <u>1</u>	25-29 - -	9	229	52	74	96
May <u>-</u>	30-34 <u>1</u> -	10	30	252	75	296
June <u>1</u>	35-39 <u>1</u> <u>1</u>	11 <u>1</u>	230	53	76	97
July <u>-</u>	40-44 - -	211	31	54	77	98
Aug. <u>1</u>	45-49 - -	12	231	55	78	99
Sept. <u>-</u>	50-59 - -	13	32	56	278	100
Oct. <u>2</u>	60-69 - <u>1</u>	14	33	256	79	101
Nov. <u>-</u>	70-79 - <u>1</u>	15	34	57	80	102
Dec. <u>-</u>	80-89 <u>1</u> -	215	35	58	81	103
	90-99 - -	16	36	59	281	104 <u>1</u>
	100 - -	17	37	60	82	105
	Unk. - -	18	38	61	83	205
		218	39	62	84	305

7-5351