

## Woods product brochure

This product brochure from Woods represents multiple models of a mower. Included in the brochure are colored photographs and illustrations with accompanying text and a chart describing the different models. This publication funded by the National Historical Publications and Records Commission through the Kansas State Historical Records Advisory Board.

Creator: Hesston Corporation. Woods Division

Date: 1976

Callnumber: Hesston Public Library

KSHS Identifier: DaRT ID: 448699

Item Identifier: 448699

[www.kansasmemory.org/item/448699](http://www.kansasmemory.org/item/448699)



## The Undermount Series Mowers from WOODS.

MODEL 42  
MODEL 59  
MODEL L306




Division of Hesston Corporation  
OREGON, ILLINOIS 61061



BIG or SMALL...there is a WOODS  
your mowing



THE WOODS UNDERMOUNT SERIES ROTARY MOWERS  
ARE ADAPTABLE TO MOST TRACTORS with  
features that cut any job down to size.



## UNDERMOUNT MOWER to fit both job and your tractor...

### They are easy to adjust.

Mowing heights from 1 to 6 inches are easily adjusted, mechanically or hydraulically, with a single lever. And the mower can be readily held in the full "up" position . . . out of the way when it's not needed.

### You have a choice of cutting swath.

3-1/2 ft. (Model 42), 5 ft. (Model 59), and 6 ft. (Model L306) with standard or offset mounting to match your needs.

### The undermount design frees tractor drawbar for other uses;

like vacuums, rollers, drags, trailers, etc.; and it gives you a safe, birds-eye view of the mowing path.

### They're built to last.

Woods undermount mower decks are formed from heavy gage steel plate and angle, electrically welded for maximum structural strength. Blade spindles designed by Woods feature heavy duty lubricated tapered roller bearings for long trouble-free life.



### Unique patented single V-belt drive

puts full 360° of main center spindle in contact with belt, keeps belt tension on all three blade pulleys equal, providing smooth reliable performance even under heavy loads, while protecting both mower and tractor from sudden shock. Belt tension is easily regulated by adjusting the rear idler pulleys.




### Woods "free floating" suspension

allows mower to follow uneven terrain, prevents scalping at any cutting height.

### To do the best possible mowing job

overlapping, high suction design blades lift the grass for a smooth, even cut.



### Undermount mowers are energy conscious.

The most mowing for the least horsepower is possible with Woods

proven-over-the-years design efficiencies. Most all tractors rated 15-45 HP can be equipped with a Woods undermount mower.

### Woods Undermount is warranted like no other mower.

Fully warranted against defects in material and workmanship (including component parts) for one full year from time of purchase.



### Local Service ... a Woods extra.

Woods has the largest stocking dealer organization of any tractor-powered rotary mower manufacturer, so parts are available wherever you need them, whenever you need them.

### The final touch

to a well-groomed lawn is a Woods Vac 405 Lawn Vacuum presently available for use with the Model 59. Vac 405 has a 5 HP Briggs and Stratton engine with a 6 blade blower plus a 40 bushel all steel vac box.





## Woods product brochure

Your tractor\* and a Woods undermount mower can provide the most compact and maneuverable mowing machine combination you would ever expect.

\*Woods mowers are adaptable to more tractor types and styles than any other available today . . . see the easy selection chart below for your model.

### SPECIFICATIONS

	MODEL 42	MODEL 59	MODEL L306
Cutting Swath	42"	60"	72"
Cutting Height Range	1" - 8"	1" - 6"	1" - 8"
Number of Blade Spindles & Blades	1	3	3
Blade Speed RPM (Max.)	1,500	2,550	2,000
Shipping Weight (Avg.)	250	415	425
Number of Caster Wheels	—	2	2
Recommended Max. HP	30*	30*	35*

\*Mower may be used on tractors with higher HP ratings but care should be taken to avoid exceeding this power input into the mower.

### SELECTION CHART

MODEL 42	
Manufacturer	Tractor Model
Allis-Chalmers	B, C, G
IH Farmall	Cub, Lo-Boy, A, AV, Super A, 100, 130, 154, 185
Massey Harris	Pony Pacer
Kubota	L210, L260

MODEL 59	
Manufacturer	Tractor Model
Allis-Chalmers	B, C, CA, WD, WD45, D-10, D-12, D-14
Case	VAC
IH Farmall	Cub, Lo-Boy, A, AV, Super A, 100, 130, 140, 154, 185, 330, 404, B, C, H, M, 240, 240 Utility
John Deere	M, MS, B, A, 30, 40, 320, 330, 420, 430, 820, 1010, 1020, 2010, 2020

Ford	2N, 8N, 9N, NAA, 600, 800, 601, 801, 1000, 2000, 3000, 3400, 4000
Kubota	L175, L210, L225, L260
Massey-Ferguson	TE20, TE30, T020, T030, T035, 35, 50, 65, 135, 150, 165, 2135, 202, 2200, 65HC, 165HC
Massey-Harris	Pony Pacer
Deutz	D2506, D3006, D4006
Leyland	154
Satoh	S550, S650, S650G
Oliver	66, 1250

MODEL L306	
Manufacturer	Tractor Model
Allis-Chalmers	B, C, CA, WD, WD45, D-10, D-12, D-14,
Case	VAC

IH	A, AV, Super A, 100, 130, 140, 354, 2300A, 330, 404, 424, 444, 2424, 2444, 454, 2400 A
John Deere	M, MS, B, A, 30, 40, 320, 330, 420, 430, 820, 1010, 1020, 2010, 2020,
Ford	2N, 8N, 9N, NAA, 600, 800, 601, 801, 1000, 2000, 3000, 3400, 4000
Kubota	L210, L225, L260
Massey-Ferguson	TE20, TE30, T020, T030, T035, 35, 50, 65, 135, 150, 165, 2135, 202, 2200, 65HC, 165HC
Massey-Harris	Pony Pacer
Deutz	D2506, D3006, D4006
Leyland	154
Satoh	S650, S650G
David Brown	780, 880, 3800, 4600
Oliver	66, 1250

In addition to the undermount mowers, Woods offers Rear Mount lawn mowers. Billy Goats, Dixie Cutters, Cadets, Razor Backs, Bat-Wings, Ditch Bank, and Offset mowers. Single spindle or multi-spindle, gear driven, or belt driven . . . mounted or pull types . . . in cutting swaths from 3-1/2 ft. to 20 ft.

Contact your Woods dealer or write Woods, Division of Hesston Corp., Oregon, Ill. 61061. Let us show you how the grass can be greener on your side of the fence when you do the job with Woods.



Division of Hesston Corporation  
OREGON, ILLINOIS 61061